

TÜPRAS

- (1) **Name of the Port:**
TÜPRAŞ
- (2) **Coordinates:**
38° 50' 45" N – 26° 55' 45" E
- (3) **Name of Port Management:**
TÜPRAŞ TÜRKİYE PETROL RAFİNERİLERİ A.Ş.
- (6) **Bunkering:**
Available shore fixed fuel oil , gas oil lines
- (7) **Fresh Water:**
Available shore fixed f.w. lines
- (8) **Repatriation:**
crews and officers can be repatriated 24 hrs in a day
- (9) **Airport:**
available only at İZMİR distance 85 Km far from ALİAĞA
- (10) **Anchorage:**
out port area is the place of tankers free anchoring area
but those tankers are to choose their places for anchoring in such position which
not preventing the motions of the tankers which are entering or leaving the port
- (11) **Vhf:**
ch 16 intl ‘ watching and calling ch of all stations
ch 13 Aliğa pilots ‘ manouvring ch
ch 16 pilot station conversation ch
- (12) **Motor launches:**
available services
24 hrs w.p.
- (13) **Garbage arrangements:**
at roads negative
at berth only by boat
- (14) **Flag required:**
Turkish national and ships national flags
Yellow flag prior free pratigue granted
Usual flag advising pilot on board during moorings
- (15) **Tug bots regulation:**
From 2000 vessels grt to 5000 grt one tug compulsory
For vessels over then 5001 grt two tugs are compulsory
- (16) **Stevedores vorking hours:**
24 hours continuously
- (17) **Berths informations:**
Pier nr : 1
L.O.A.....: .285 m.
Max permissible draught.....: 16 m.
Pier nr : 2
L.O.A.....: 180 m.
Max permissible draught.....: 12 m.
Pier nr : 3
L.O.A.....: 100 m.
Max permissible draught.....: 8 m.
Pier nr : 4
L.O.A.....: 100 m.
Max permissible draught.....: 6 m.
Pier nr : cargo
L.O.A.....: 95 m.
Max permissible draught.....: 6 m.
Pier nr : LPG – 1
L.O.A.....: 230 m.
Max permissible draught.....: 13 m.

Pier nr : LPG – 2

L.O.A.....: 103 m.

Max permissible draught.....: 6,5 m.

Pier nr : new pier

L.A.O.....: 360 m.

Max permissible draught.....: 19.2 m.

(18) Loading and disch rates of various commodities:**Pier nr : 1**

Commolity	Rate/hrs	Arm size
Naphtha.....	800 mt/hr	1x10'
Unleaded gasoline..	1300 mt/hr	1x10'
Gasoline	800 mt/hr	1x8'
Jet a-1.....	800 mt/hr	1x12'
Dieseloil.....	2600 mt/hr	1x12'
Fuel oil.....	2600 mt/hr	4x12'
Hvgo.....	1000 mt/hr	1x12'
Grude oil.....		4x12

Pier nr : 2

Commolity	Rate/hrs	Arms size
Naphtha.....	800 mt/hr	1x10'
Unleaded gasoline....	1300 mt/hr	2x10'
Gasoline	800 mt/hr	1x8'
jet a – 1.....	800 mt/hr	1x10'
Dieseloil.....	2600 mt/hr	2x10'
Hvgo.....	1000 mt/hr	1x10'
Spindle oil.....	150 mt/hr	1x6'

Pier nr : 3

Commolity	Rate/hrs	Arms size
Unleaded gasoline....	1300 mt/hr	1x10'
Gasoline.....	800 mt/hr	
Jet a – 1	800 mt/hr	1x12'
Jp – 8	800 mt/hr	1x12'
Dieseloil	2600 mt/hr	1x12'
Kal-yak	800 mt/hr	1x8'
Fueloil.....	2600 mt/hr	1x10'
Hvgo	1000 mt/hr	1x10'

Pier nr : 4

Commolity	Rate/hrs	Arms size
Naphtha.....	800 mt/hr	1x8'
Unleaded gasoline....	1300 mt/hr	1X10'
Gasoline.....	800 mt/hr	1X8'
Jet a – 1	800 mt/hr	1X10'
Jp – 8	800 mt/hr	1X8'
Dieseloil.....	2600 mt/hr	1X10'
Kal-yak	800 mt/hr	1X8'
Spindle oil.....	150 mt/hr	1X6'

Pier nr : Cargo

Commolity	Rate/hrs	arms size
Unleaded gasoline....	500 mt/hr	1x6'
Gasoline	400 mt/hr	1x4'
Jet a – 1	400 mt/hr	1x6'
Diesel oil	1000 mt/hr	1x8'
Kal-yak.....	500 mt/hr	1x6'
Fueloil.....	1000 mt/hr	1x8'
Spindleoil.....	100 mt/hr	1x4'
Light neutral.....	100 mt/hr	1x4'
Heavy neutral.....	100 mt/hr	1x6'
Bright stock.....	100 mt/hr	1x6'
Extract.....	50 mt/hr	1x4'
Balast.....		2x4'
Pen . asphalt	250 mt	1x10'

Pier nr : LPG – 1

Commolity	Rate/hrs	arm size
Lpg.....	550 mt/hr	1x8'

Pier nr : LPG - 2

Lpg.....	550 mt/hr	1x8'
----------	-----------	------

Pier nr : New pier

Grude oil.....		4x16'
Fuel oil.....	2000 mt/hr	1x10 – 1x16''



(17) Contac details

Tupras port

Tel : + 90 232 498 55 55

Fax : + 90 232 498 50 00

E-posta : izmir.info@tupras.com.tr
iskele.izmir@tupras.com.tr

(18) ISPS details

name of the terminal: TUPRAS TERMINAL

name of the management: TUPRAS TURKIYE PETROL RAFINARINERI A.S.

location : Aliaga

security level: 1

security cert nbr : 0135070

pso name: A.Levent Bicer

pso mobile nbr: +90 533 344 39 25

office nbr: +90 232 498 55 55

e-mail: